

SEQUENCE LISTING

<110> Kirkness et al.

<120> Human Haemopoietic Maturation Factor

<130> PF105P1D2

<150> US 09/333,033
<151> 1999-06-15

<150> US 08/442,497
<151> 1995-05-16

<150> US 08/187,186
<151> 1994-01-25

<160> 9

<170> PatentIn version 3.1

<210> 1
<211> 600
<212> DNA
<213> Homo sapiens

<220>
<221> CDS
<222> (46)..(474)
<223>

<400> 1
agacagcgga actaagaaaa gaagaggcct gtggacagaa caatc atg tct gac tcc 57
Met Ser Asp Ser
1

ctg gtg gtg tgc gag gta gac cca gag cta aca gaa aag ctg agg aaa 105
Leu Val Val Cys Glu Val Asp Pro Glu Leu Thr Glu Lys Leu Arg Lys
5 10 15 20

ttc cgc ttc cga aaa gag aca gac aat gca gcc atc ata atg aag gtg 153
Phe Arg Phe Arg Lys Glu Thr Asp Asn Ala Ala Ile Ile Met Lys Val
25 30 35

gac aaa gac cgg cag atg gtg gtg ctg gag gaa gaa ttt cag aac att 201
Asp Lys Asp Arg Gln Met Val Val Leu Glu Glu Glu Phe Gln Asn Ile
40 45 50

tcc cca gag gag ctc aaa atg gag ttg ccg gag aga cag ccc agg ttc 249
Ser Pro Glu Glu Leu Lys Met Glu Leu Pro Glu Arg Gln Pro Arg Phe
55 60 65

gtg gtt tac agc tac aag tac gtg cat gac gat ggc cga gtg tcc tac 297
Val Val Tyr Ser Tyr Lys Tyr Val His Asp Asp Gly Arg Val Ser Tyr
70 75 80

cct ttg tgt ttc atc ttc tcc agc cct gtg ggc tgc aag ccg gaa caa 345
Pro Leu Cys Phe Ile Phe Ser Ser Pro Val Gly Cys Lys Pro Glu Gln
85 90 95 100

[illegible]

```
<400> 3
gacttcatga aaaagacaga tatcgcaatt gcagtggcac tggetggttt cgctaccgtt    60
gcgcaagctg cttctgactc cctgggtggtg tgc                                93
```

<220>
<223> Contains complementary sequences to a BglIII site.

```
<400> 4
gactagatct acgaaagaaa gacaactttt c 31
```

<220>
<223> Contains a HindIII site.

```
<400> 5
gactaaqctt agccatgtct gactccctgg tgggtg 35
```

```
<210> 6
<211> 64
<212> DNA
<213> Artificial Sequence
```

<220>
<223> Contains complementary sequences to an XbaI site, translation stop codon, and an HA tag.

```
<400> 6
gactttctaga tcaagcgtag tctgggacgt cgtatgggta acgaaagaaa gacaactttt 60
cttg 64
```

<210> 7
 <211> 35
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Contains a BamHI restriction enzyme site followed by 6 nucleotides resembling an efficient signal for the initiation of translation in eukaryotic cells (Kozak, M., J. Mol. Biol., 196:947-950 (1987)).

<400> 7
 cgcgggatcc gccatcatgt ctgactccct ggtgg 35

<210> 8
 <211> 30
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Contains the cleavage site for the restriction endonuclease Asp718.

<400> 8
 gcgcggtacc agtccccagc ccagagatca 30

<210> 9
 <211> 141
 <212> PRT
 <213> Homo sapiens

<400> 9
 Met Ser Glu Ser Leu Val Val Cys Asp Val Ala Glu Asp Leu Val Glu
 1 5 10 15

Lys Leu Arg Lys Phe Arg Phe Arg Lys Glu Thr Asn Asn Ala Ala Ile
 20 25 30

Ile Met Lys Ile Asp Lys Asp Lys Arg Leu Val Val Leu Asp Glu Glu
 35 40 45

Leu Glu Gly Ile Ser Pro Asp Glu Leu Lys Asp Glu Leu Pro Glu Arg
 50 55 60

Gln Pro Arg Phe Ile Val Tyr Ser Tyr Lys Tyr Gln His Asp Asp Gly
 65 70 75 80

Arg Val Ser Tyr Pro Leu Cys Phe Ile Phe Ser Ser Pro Val Gly Cys
 85 90 95

Lys Pro Glu Gln Gln Met Met Tyr Ala Glu Ser Lys Asn Lys Leu Val
100 105 110

Gln Thr Ala Glu Leu Thr Lys Val Phe Glu Ile Arg Asn Thr Glu Asp
115 120 125

Leu Thr Glu Glu Trp Leu Arg Glu Lys Leu Gly Phe Phe
130 135 140

5